

DECLARATION OF CONFORMITY

I hereby declare that the product

Description: Feature phone

Type or model name: FL 02

Brand name: BLAUPUNKT

Hardware version number: C219-MB-V2.1

Software version number: C219A_KYT_WELCOME_171122

Adapter: Model: FL 02
Brand: BLAUPUNKT
Power supply and ADP(rating):
Input: 100-240V AC 50/60Hz 0.2A
Output: DC5.0V, 500mA

Battery: Model: FL 02
Brand: BLAUPUNKT
Battery(rating):
Rated Voltage: 3.7V
Charge Limit: 4.2V
Capacity: 1000mAh

USB line: Model: N/A
Brand: N/A
Length: 80cm

Earphone: Model: N/A
Brand: N/A
Length: 100cm

Dipole Antenna: Model: N/A
Brand: N/A

PIFA Antenna: Model: N/A
Brand: N/A

The submitted sample of the aboveproduct has been tested according with Standard(s) used for showing compliance with the essential requirements in the specified directive(s): **RED 2014/53/EU Directive**

Standard(s):Refer to attachment

Test report(s) No.: Refer to attachment

Applied Standards: Article 3.1a)LVD:

EN609501:2006+A11:2009+A1:2010 **SZE1712026A01**
+A12:2011+ A2:2013

EN 62209-1:2006, EN 62209-2:2010
EN 50360:2001/A1:2012
EN 50566:2013/AC:2014 **SZE1712026H01**
EN 62479:2010

Article 3.1b)EMC:

Draft ETSI EN 301 489-1 V2.2.0
Draft EN 301 489-17 V3.2.0 **SZE1712026E01**
Draft ETSI EN 301 489-52 V1.1.0

Article 3.2)RF:

ETSI EN 301 511 V12.5.1 **SZE1712026W01**

Article 3.2)RF:

ETSI EN 300 328V2.1.1 **SZE1712026W02**

Article 3.2)RF:

Final draft ETSI EN 303 345 V1.1.7 **SZE1712026W03**

And, in accordance with the following Directives:

2011/65/EU and its amendment directive 2015/863/EU

That this product has been assessed against the following standards:

IEC 62321-3-1:2013;IEC 62321-4:2013;
IEC 62321-5:2013;IEC 62321-7-1:2015;
IEC 62321-7-2:2017;IEC 62321-6:2015

This is to attest that, on the basis of the test undertaken as per Report NO.

SZE1712026R01

The submitted sample of the above item complies with this specified standard.

Feature:**GSM**

| | |
|-------------------------|--|
| Frequency Bands | GSM 900: 880 ~ 915 MHz(TX) 925 ~ 960 MHz (RX) GSM 1800: 1710 ~ 1785 MHz(TX) 1805 ~ 1880 MHz(RX) |
| Modulation Mode | GMSK for GPRS |
| SIM Card | SIM 1 and SIM 2 is a chipset unit and tested as single chipset, SIM 1 is used to tested |
| Power Class | GSM900: 4, GSM1800: 1 |
| Multislot Class | GPRS: 12 |
| Adapter | Power supply and ADP(rating): Input: AC 110V-240V,50-60Hz, 200mA Output: DC 5V,500mA |
| Battery | Battery(rating): Rated Voltage: 3.7V Charge Limit: 4.2V Capacity:1000mAh |
| Antenna Type | PIFA |
| Hardware version number | C219-MB-V2.1 |
| Software version number | C219A_KYT_WELCOME_171122 |

BT

| | |
|-------------------------|--------------------|
| Operation Frequency | 2402~2480MHz |
| Modulation Type | BT(1Mbps): GFSK |
| Number Of Channel | 79CH |
| Bit Rate of Transmitter | 1Mbps |
| Antenna Designation | PIFA Antenna |
| Antenna Gain(Peak) | 1.5dBi |
| Power Rating | DC 3.7V by battery |

Based on the application, features, or specification exhibited in User's Manual, the EUT is considered as an ITE/Computing Device. More details of EUT technical specification, please refer to the User's Manual.

| | |
|-------------------------|--|
| Channel List | Refer to below |
| Adapter | Power supply and ADP(rating): Input: AC 110V-240V,50-60Hz, 200mA Output: DC 5V,500mA |
| Battery | Battery(rating): Rated Voltage: 3.7V Charge Limit: 4.2V Capacity:1000mAh |
| Hardware version number | C219-MB-V2.1 |
| Software version number | C219A_KYT_WELCOME_171122 |

FM

Operation frequency 88-108MHz
Modulation Type: FM
Antenna Designation: PIFA Antenna
Power Rating DC 3.7V by battery

Based on the application, features, or specification exhibited in User's Manual, the EUT is considered as an ITE/Computing Device. More details of EUT technical specification, please refer to the User's Manual.

Adapter Power supply and ADP(rating):
Input: AC 110V-240V,50-60Hz, 200mA
Output: DC 5V,500mA

Battery Battery(rating):
Rated Voltage: 3.7V
Charge Limit: 4.2V
Capacity:1000mAh

Hardware version number C219-MB-V2.1

Software version number C219A_KYT_WELCOME_171122

Issuing authority **Shenzhen EAC Test Technology Co., Ltd.**
Address No.208, Building A, No.168 Cenxia Road, FuYong, Bao'an,
Shenzhen, China

Manufacturer or Authorized representative:
Address:
HTM Mobile Kft.
1118 Budapest, Dayka Gábor utca 3. Hungary

This declaration is issued under the sole responsibility of the manufacturer and, if applicable, his authorized representative.

Point of contact:

DAISY



NAME: DAISY
TITLE: SALES
COMPANY NAME: Ying Tai Electronics Co., Ltd
ADDRESS: ROOM 803,CHEVALIER HOUSE 45-51 CHATHAM ROAD SOUTH,
TSIM SHA TSUI,KOWLOON,HONG KONG
TEL: +86-755-23214312
EMAIL: SALES4@CHINAKYT.COM